

Exam Questions SC-300

Microsoft Identity and Access Administrator

<https://www.2passeasy.com/dumps/SC-300/>



NEW QUESTION 1

- (Exam Topic 2)

You need to locate licenses to the A. Datum users. The solution must need the technical requirements. Which type of object should you create?

- A. A Dynamo User security group
- B. An OU
- C. A distribution group
- D. An administrative unit

Answer: D

NEW QUESTION 2

- (Exam Topic 2)

You need to meet the technical requirements for the probability that user identities were compromised. What should the users do first, and what should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

The users must first:

- ☐ Provide consent for any app to access the data of Contoso.
- ☐ Register for multi-factor authentication (MFA).
- ☐ Register for self-service password reset (SSPR).

You must configure:

- ☐ A sign-in risk policy
- ☐ A user risk policy
- ☐ An Azure AD Password Protection policy

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-policies>

NEW QUESTION 3

- (Exam Topic 3)

You need implement the planned changes for application access to organizational data. What should you configure?

- A. authentication methods
- B. the User consent settings
- C. access packages
- D. an application proxy

Answer: B

NEW QUESTION 4

- (Exam Topic 3)

You need to resolve the recent security incident issues.

What should you configure for each incident? To answer, drag the appropriate policy types to the correct issues. Each policy type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Policy Types

☐ An authentication method policy

☐ A Conditional Access policy

☐ A sign-in risk policy

☐ A user risk policy

Answer Area

Leaked credentials:

A sign-in from a suspicious browser:

Resources accessed from an anonymous IP address:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Policy Types

- An authentication method policy
- A Conditional Access policy
- A sign-in risk policy
- A user risk policy

Answer Area

- Leaked credentials: A user risk policy
- A sign-in from a suspicious browser: A sign-in risk policy
- Resources accessed from an anonymous IP address: A sign-in risk policy

NEW QUESTION 5

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that contains a user named User1. An administrator deletes User1.

You need to identify the following:

- How many days after the account of User1 is deleted can you restore the account?
- Which is the least privileged role that can be used to restore User1?

What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

Number of days:

- 15
- 30
- 90
- 180

Role:

- User administrator
- Network administrator
- Helpdesk administrator
- Domain name administrator

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Number of days:

- 15
- 30
- 90
- 180

Role:

- User administrator
- Network administrator
- Helpdesk administrator
- Domain name administrator

NEW QUESTION 6

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that syncs to an Active Directory forest. The tenant-uses through authentication.

A corporate security policy states the following:

- > Domain controllers must never communicate directly to the internet.
- > Only required software must be- installed on servers.

The Active Directory domain contains the on-premises servers shown in the following table.

Name	Description
Server1	Domain controller (PDC emulator)
Server2	Domain controller (infrastructure master)
Server3	Azure AD Connect server
Server4	Unassigned member server

You need to ensure that users can authenticate to Azure AD if a server fails.

On which server should you install an additional pass-through authentication agent?

- A. Server2

- B. Server4
- C. Server1
- D. Server3

Answer: C

Explanation:

Reference:
https://docs.microsoft.com/en-us/azure/active-directory/hybrid/how-to-connect-pta-quick-start

NEW QUESTION 7

- (Exam Topic 4)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have an Active Directory forest that syncs to an Azure Active Directory (Azure AD) tenant.
You discover that when a user account is disabled in Active Directory, the disabled user can still authenticate to Azure AD for up to 30 minutes.
You need to ensure that when a user account is disabled in Active Directory, the user account is immediately prevented from authenticating to Azure AD.
Solution: You configure Azure AD Password Protection. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 8

- (Exam Topic 4)
You have a Microsoft 365 E5 subscription and an Azure subscription. You need to meet the following requirements:

- Ensure that users can sign in to Azure virtual machines by using their Microsoft 365 credentials.
- Delegate the ability to create new virtual machines.

What should you use for each requirement? To answer, drag the appropriate features to the correct requirements. Each feature may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Features

Azure AD built-in roles

Azure AD managed identities

Azure role-based access control (Azure RBAC)

Answer Area

Ensure that users can sign in to Azure virtual machines by using their Microsoft 365 credentials:

Delegate the ability to create new virtual machines:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Features

Azure AD built-in roles

Azure AD managed identities

Azure role-based access control (Azure RBAC)

Answer Area

Ensure that users can sign in to Azure virtual machines by using their Microsoft 365 credentials:

Delegate the ability to create new virtual machines:

NEW QUESTION 9

- (Exam Topic 4)
You have an Azure Active Directory (Azure AD) tenant.
You create an enterprise application collection named HR Apps that has the following settings:

- Applications: Appl. App?, App3
- Owners: Admin 1
- Users and groups: HRUsers

AH three apps have the following Properties settings:

- Enabled for users to sign in: Yes
- User assignment required: Yes
- Visible to users: Yes

Users report that when they go to the My Apps portal, they only see App1 and App2-You need to ensure that the users can also see App3. What should you do

from App3?
 What should you do from App3?

- A. From Users and groups, add HRUsers.
- B. Prom Properties, change User assignment required to No.
- C. From Permissions, review the User consent permissions.
- D. From Single sign on, configure a sign-on method.

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/assign-user-or-group-access-portal> <https://docs.microsoft.com/en-us/azure/active-directory/user-help/my-applications-portal-workspaces>

NEW QUESTION 10

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that has Security defaults disabled. You are creating a conditional access policy as shown in the following exhibit.

New

Conditional access policy

Control user access based on conditional access policy to bring signals together, to make decisions, and enforce organizational policies. [Learn more](#)

Name *

Policy1 ✓

Assignments

Users and groups ⓘ >
 Specific users included

Cloud apps or actions ⓘ >
 All cloud apps

Conditions ⓘ >
 0 conditions selected

Access controls

Grant ⓘ >
 0 controls selected

Session ⓘ >
 0 controls selected

Control user access based on users and groups assignment for all users, specific groups of users, directory roles, or external guest users. [Learn more](#)

Include Exclude

☐ None

☐ All users

☒ Select users and groups


☐ All guest users (preview) ⓘ

☐ Directory roles (preview) ⓘ

☒ Users and groups

Select ⓘ >

1 user

 User1
 user1@sk200922outlook.onm... ⋮

Enable policy

Report-only **On** Off

Create

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

NOTE: Each correct selection is worth one point.

To ensure that User1 is prompted for multi-factor authentication (MFA) when accessing Cloud apps, you must configure the **[answer choice]**.

- Conditions settings
- Enable policy setting
- Grant settings
- Sessions settings
- Users and groups setting

To ensure that User1 is prompted for authentication every eight hours, you must configure the **[answer choice]**.

- Conditions settings
- Enable policy setting
- Grant settings
- Sessions settings
- Users and groups setting

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/howto-conditional-access-policy-all>

NEW QUESTION 10

- (Exam Topic 4)

You have an Azure subscription that contains the resources shown in the following table. You need to configure access to Vault1. The solution must meet the following requirements:

- Ensure that User1 can manage and create keys in Vault1.
- Ensure that User2 can access a certificate stored in Vault1.
- Use the principle of least privilege.

Which role should you assign to each user? To answer select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Answer Area

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

A screenshot of a computer Description automatically generated

NEW QUESTION 12

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription.

Users authorize third-party cloud apps to access their data.

You need to configure an alert that will be triggered when an app requires high permissions and is authorized by more than 20 users.

Which type of policy should you create in the Microsoft Defender for Cloud Apps portal?

- A. anomaly detection policy
- B. OAuth app policy
- C. access policy
- D. activity policy

Answer: C

NEW QUESTION 14

- (Exam Topic 4)

You need to support the planned changes and meet the technical requirements for MFA.

Which feature should you use, and how long before the users must complete the registration? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Feature:

Grace period:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Feature:

Grace period:

NEW QUESTION 15

- (Exam Topic 4)

You have an Azure AD tenant that contains a user named User1. User1 is assigned the User Administrator role.

You need to configure External collaboration settings for the tenant to meet the following requirements: |

*Guest users must be prevented from querying staff email addresses.

*Guest users must be able to access the tenant only if they are invited by User1.

Which three settings should you configure? To answer, select the appropriate settings in the answer area.

Guest user access restrictions:

Guest invite restrictions:

Enable guest self-service sign up via user flows:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Box1 = User access is restricted to properties and memberships of their own directory objects (most restrictive). This setting ensures that guest users are prevented from querying staff email addresses and can access the tenant only if they are invited by User1.

Box2 = Only users assigned to specific admin roles can invite guest users. This setting ensures that guest users can access the tenant only if they are invited by User1.

Box3 = This setting enables guest users to sign up for the tenant only if they are invited by User1.

NEW QUESTION 19

- (Exam Topic 4)

You use Azure Monitor to analyze Azure Active Directory (Azure AD) activity logs.

You receive more than 100 email alerts each day for failed Azure AD user sign-in attempts. You need to ensure that a new security administrator receives the alerts instead of you.

Solution: From Azure monitor, you create a data collection rule. Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 24

- (Exam Topic 4)

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You use Azure Monitor to analyze Azure Active Directory (Azure AD) activity logs.

You receive more than 100 email alerts each day for failed Azure AD user sign-in attempts. You need to ensure that a new security administrator receives the alerts instead of you. Solution: From Azure AD, you modify the Diagnostics settings.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

NEW QUESTION 29

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant. You open the risk detections report.

Which risk detection type is classified as a user risk?

- A. impossible travel
- B. anonymous IP address
- C. atypical travel
- D. leaked credentials

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/concept-identity-protection-risks>

NEW QUESTION 30

- (Exam Topic 4)

You have an Azure AD tenant that contains a user named User1 and the conditional access policies shown in the following table.

Name	Status	Conditional access requirement
CAPolicy1	On	Users connect from a trusted IP address.
CAPolicy2	On	Users' devices are marked as compliant.
CAPolicy3	Report-only	The sign-in risk of users is low.

You need to evaluate which policies will be applied User1 when User1 attempts to sign-in from various IP addresses.

Which feature should you use?

- A. Access reviews
- B. Identity Secure Score
- C. The What If tool
- D. the Microsoft 365 network connectivity test tool

Answer: C

NEW QUESTION 35

- (Exam Topic 4)

Your company has an Azure Active Directory (Azure AD) tenant named contoso.com. The company has a business partner named Fabrikam, Inc.

Fabrikam uses Azure AD and has two verified domain names of fabrikam.com and litwareinc.com. Both domain names are used for Fabrikam email addresses.

You plan to create an access package named package1 that will be accessible only to the users at Fabrikam. You create a connected organization for Fabrikam.

You need to ensure that the package1 will be accessible only to users who have fabrikam.com email addresses. What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

To allow access for users who have fabrikam.com email addresses, configure:

To block access for users who have litwareinc.com email addresses, configure:

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Text Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-access-package-re> <https://docs.microsoft.com/en-us/azure/active-directory/governance/entitlement-management-access-package-cr>

NEW QUESTION 36

- (Exam Topic 4)

A user named User1 receives an error message when attempting to access the Microsoft Defender for Cloud Apps portal.

You need to identify the cause of the error. The solution must minimize administrative effort. What should you use?

- A. Log Analytics
- B. sign-in logs
- C. audit logs
- D. provisioning logs

Answer: B

NEW QUESTION 40

- (Exam Topic 4)

You create a conditional access policy that blocks access when a user triggers a high-severity sign-in alert. You need to test the policy under the following conditions;

- A user signs in from another country.
- A user triggers a sign-in risk.

What should you use to complete the test?

- A. the Conditional Access What If tool
- B. sign-ins logs in Azure AD
- C. access reviews in Azure AD
- D. the activity logs in Microsoft Defender for Cloud Apps

Answer: A

NEW QUESTION 44

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription. You need to perform the following tasks:

- Identify the locations and IP addresses used by Azure AD users to sign in
- Review the Azure AD security settings and identify improvement recommendations.
- Identify changes to Azure AD users or service principle.

What should you use for each task? To answer, drag the appropriate resources to the correct requirements. Each resource may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Resources

Answer Area

- A. Mastered
 B. Not Mastered

Answer: A

Explanation:

Resources	Answer Area
Audit logs	Identify the locations and IP addresses used by Azure AD users to sign in: Sign-in logs
Identity secure score	Identify changes to Azure AD users or service principals: Audit logs
Provisioning logs	Review the Azure AD security settings and identify improvement recommendations: Identity secure score
Sign-in logs	

NEW QUESTION 46

- (Exam Topic 4)

You have an Azure subscription that contains an Azure SQL database named db1.

You deploy an Azure App Service web app named App1 that provide product information to users that connect to App1 anonymously.

You need to provide App1 with Access to db1. The solution must meet the following requirements:

- * Credentials must only be available to App1.
- * Administrative effort must be minimized. Which type of credentials should you use?

- A. a user-assigned managed identity
 B. an Azure AD user account
 C. A SQL Server account
 D. a system-assigned managed identity

Answer: D

NEW QUESTION 49

- (Exam Topic 4)

You have a Microsoft 365 tenant.

The Azure Active Directory (Azure AD) tenant syncs to an on-premises Active Directory domain. The domain contains the servers shown in the following table.

Name	Operating system	Configuration
Server1	Windows Server 2019	Domain controller
Server2	Windows Server 2019	Domain controller
Server3	Windows Server 2019	Azure AD Connect

The domain controllers are prevented from communicating to the internet. You implement Azure AD Password Protection on Server1 and Server2. You deploy a new server named Server4 that runs Windows Server 2019.

You need to ensure that Azure AD Password Protection will continue to work if a single server fails. What should you implement on Server4?

- A. Azure AD Connect
 B. Azure AD Application Proxy
 C. Password Change Notification Service (PCNS)
 D. the Azure AD Password Protection proxy service

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-password-ban-bad-on-premisesdep>

NEW QUESTION 53

- (Exam Topic 4)

You have a Microsoft 365 tenant.

All users have mobile phones and laptops.

The users frequently work from remote locations that do not have Wi-Fi access or mobile phone connectivity. While working from the remote locations, the users connect their laptop to a wired network that has internet access.

You plan to implement multi-factor authentication (MFA).

Which MFA authentication method can the users use from the remote location?

- A. a notification through the Microsoft Authenticator app
 B. security questions
 C. voice
 D. an app password

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-authenticator-app>

NEW QUESTION 54

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant named conto.so.com that has Azure AD Identity Protection enabled. You need to Implement a sign-in risk remediation policy without blocking access.

What should you do first?

- A. Configure access reviews in Azure AD.
- B. Enforce Azure AD Password Protection.
- C. implement multi-factor authentication (MFA) for all users.
- D. Configure self-service password reset (SSPR) for all users.

Answer: C

Explanation:

MFA and SSPR are both required. However, MFA is required first. Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/identity-protection/howto-identity-protection-remediate-> <https://docs.microsoft.com/en-us/azure/active-directory/authentication/howto-sspr-deployment>

NEW QUESTION 55

- (Exam Topic 4)

You have a Microsoft 365 tenant that uses the domain named fabrikam.com. The Guest invite settings for Azure Active Directory (Azure AD) are configured as shown in the exhibit. (Click the Exhibit tab.)

Guest user access

Guest user access restrictions (Preview) ⓘ

[Learn more](#)

- ☐ Guest users have the same access as members (most inclusive)
- ☒ Guest users have limited access to properties and memberships of directory objects
- ☐ Guest user access is restricted to properties and memberships of their own directory objects (most restrictive)

Guest invite settings

Admins and users in the guest inviter role can invite ⓘ

☒ Yes ☐ No

Members can invite ⓘ

☒ Yes ☐ No

Guests can invite ⓘ

☐ Yes ☒ No

Email One-Time Passcode for guests ⓘ

[Learn more](#)

☒ Yes ☐ No

Enable guest self-service sign up via user flows (Preview) ⓘ

[Learn more](#)

☒ Yes ☐ No

Collaboration restrictions

- ☒ Allow invitations to be sent to any domain (most inclusive)
- ☐ Deny invitations to the specified domains
- ☐ Allow invitations only to the specified domains (most restrictive)

A user named bsmith@fabrikam.com shares a Microsoft SharePoint Online document library to the users shown in the following table.

Name	Email	Description
User1	User1@contoso.com	A guest user in fabrikam.com
User2	User2@outlook.com	A user who has never accessed resources in fabrikam.com
User3	User3@fabrkam.com	A user in fabrikam.com

Which users will be emailed a passcode?

- A. User2 only
- B. User1 only
- C. User1 and User2 only

D. User1, User2, and User3

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/external-identities/one-time-passcode>

NEW QUESTION 60

- (Exam Topic 4)

You have a Microsoft 365 E5 tenant. You purchase a cloud app named App1.

You need to enable real-time session-level monitoring of App1 by using Microsoft Cloud app Security.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

From Microsoft Cloud App Security, create a session policy.

Publish App1 in Azure Active Directory (Azure AD).

Create a conditional access policy that has session controls configured.

From Microsoft Cloud App Security, modify the Connected apps settings for App1.

Answer Area

<

>

↑

↓

A. Mastered

B. Not Mastered

Answer: A

Explanation:

A picture containing application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/cloud-app-security/proxy-deployment-any-app> <https://docs.microsoft.com/en-us/cloud-app-security/session-policy-aad>

NEW QUESTION 61

- (Exam Topic 4)

You have a Microsoft 365 subscription that contains the following:

- An Azure Active Directory (Azure AD) tenant that has an Azure Active Directory Premium P2 license
- A Microsoft SharePoint Online site named Site1
- A Microsoft Teams team named Team1

You need to create an entitlement management workflow to manage Site1 and Team1. What should you do first?

A. Create an access package.

B. Create a catalog.

C. Create an administrative unit.

D. Configure an app registration.

Answer: A

NEW QUESTION 66

- (Exam Topic 4)

You have a Microsoft 365 tenant that has 5,000 users. One hundred of the users are executives. The executives have a dedicated support team.

You need to ensure that the support team can reset passwords and manage multi-factor authentication (MFA) settings for only the executives. The solution must use the principle of least privilege.

Which object type and Azure Active Directory (Azure AD) role should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Object type:

- An administrative unit
- A custom administrator role
- A dynamic group
- A Microsoft 365 group

Role:

- Authentication administrator
- Groups administrator
- Helpdesk administrator
- Password administrator

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Object type:

- An administrative unit
- A custom administrator role
- A dynamic group
- A Microsoft 365 group

Role:

- Authentication administrator
- Groups administrator
- Helpdesk administrator
- Password administrator

NEW QUESTION 67

- (Exam Topic 4)

You have a Microsoft 365 tenant.

You need to ensure that you can view Azure Active Directory (Azure AD) audit log information by using Azure Monitor.

What should you do first?

- A. Run the Get-AzureADAuditDirectoryLogs cmdlet.
- B. Create an Azure AD workbook.
- C. Run the Set-AzureADTenantDetail cmdlet.
- D. Modify the Diagnostics settings for Azure AD.

Answer: D

NEW QUESTION 72

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant named contoso.com that contains an Azure AD enterprise application named App1.

A contractor uses the credentials of user1@outlook.com.

You need to ensure that you can provide the contractor with access to App1. The contractor must be able to authenticate as user1@outlook.com.

What should you do?

- A. Run the New-AzADUser cmdlet.
- B. Configure the External collaboration settings.
- C. Add a WS-Fed identity provider.
- D. Create a guest user account in contoso.com.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/external-identities/b2b-quickstart-add-guest-usersportal>

NEW QUESTION 76

- (Exam Topic 4)

You use Azure Monitor to analyze Azure Active Directory (Azure AD) activity logs.

You receive more than 100 email alerts each day for failed Azure AD user sign-in attempts. You need to ensure that a new security administrator receives the alerts instead of you. Solution: From Azure monitor, you modify the action group.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

NEW QUESTION 77

- (Exam Topic 4)

Your company has an Azure AD tenant that contains the users shown in the following table.

Name	Role
User1	Application administrator
User2	None
User3	Exchange administrator
User4	Cloud application administrator

You have the app registrations shown in the following table.

App name	Used by	Microsoft Graph permission
App1	User1	Calendars.Read of type Delegated
App2	User2	Calendars.Read of type Delegated Calendars.ReadWrite of type Application
App3	User3, User4	Calendars.Read of type Application

A company policy prevents changes to user permissions.

Which user can create appointments in the calendar of each user at the company?

- A. User1
- B. User2
- C. User3
- D. User4

Answer: B

NEW QUESTION 81

- (Exam Topic 4)

You have an on-premises datacenter that contains the hosts shown in the following table.

Name	Description
Server1	Domain controller that runs Windows Server 2019
Server2	Server that runs Windows Server 2019 and has Azure AD Connect deployed
Server3	Server that runs Windows Server 2019 and has a Microsoft ASP.NET application named App1 installed
Server4	Unassigned server that runs Windows Server 2019
Firewall1	Hardware firewall connected to the internet that blocks all traffic unless explicitly allowed

You have an Azure Active Directory (Azure AD) tenant that syncs to the Active Directory forest. Multi-factor authentication (MFA) is enforced for Azure AD.

You need to ensure that you can publish App1 to Azure AD users.

What should you configure on Server and Firewall1? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Service to install on Server4:

Azure AD Application Proxy
The Azure AD Password Protection DC agent
The Azure AD Password Protection proxy service
Web Application Proxy in Windows Server

Rule to configure on Firewall1:

Allow incoming HTTPS connections from Azure AD to Server4.
Allow incoming IPsec connections from Azure AD to Server4.
Allow outbound HTTPS connections from Server4 to Azure AD.
Allow outbound IPsec connections from Server4 to Azure AD.

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/manage-apps/application-proxy>

NEW QUESTION 83

- (Exam Topic 4)

You have an Azure AD tenant that contains the users shown in the following table.

Name	Role
User1	Security administrator
User2	Privileged authentication administrator
User3	Service support administrator

User2 reports that he can only configure multi-factor authenticating (MFA) to use the Microsoft Authenticator app.

You need to ensure that User2 can configure alternate MFA methods.

Which configuration is required, and which user should perform the configuration? To answer, select the appropriate options in the answer area.

Answer Area

Configuration:

▼

Enable access reviews.
Enable Azure AD Privileged Identity Management (PIM).
Modify security defaults.

User:

▼

User1 only
User2 only
User3 only
User1 and User2 only
User1 and User3 only
User2 and User3 only

- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Answer Area

Configuration:

▼

Enable access reviews.
Enable Azure AD Privileged Identity Management (PIM).
Modify security defaults.

User:

▼

User1 only
User2 only
User3 only
User1 and User2 only
User1 and User3 only
User2 and User3 only

NEW QUESTION 88

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that has an Azure Active Directory Premium Plan 2 license. The tenant contains the users shown in the following table.

Name	Role
Admin1	Cloud device administrator
Admin2	Device administrator
User1	None

You have the Device Settings shown in the following exhibit.

Devices | Device settings
Default Directory - Azure Active Directory

« Save Discard Got feedback?

All devices
Device settings
Enterprise State Roaming
BitLocker keys (Preview)
Diagnose and solve problems

Activity
Audit logs
Bulk operation results (Preview)
Troubleshooting + Support
New support request

Users may join devices to Azure AD ⓘ
All Selected None
Selected
No member selected

Users may register their devices with Azure AD ⓘ
All None

Devices to be Azure AD joined or Azure AD registered require Multi-Factor Authentication ⓘ
Yes No

⚠ We recommend that you require Multi-Factor Authentication to register or join devices using Conditional Access. Set this device setting to No if you require Multi-Factor Authentication using Conditional Access.

Maximum number of devices per user ⓘ
5

Additional local administrators on all Azure AD joined devices
Manage Additional local administrators on All Azure AD joined devices

User1 has the devices shown in the following table.

Name	Operating system	Device identity
Device1	Windows 10	Azure AD joined
Device2	iOS	Azure AD registered
Device3	Windows 10	Azure AD registered
Device4	Android	Azure AD registered

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
User1 can join four additional Windows 10 devices to Azure AD.	<input type="radio"/>	<input type="radio"/>
Admin1 can set Devices to be Azure AD joined or Azure AD registered require Multi-Factor Authentication to Yes .	<input type="radio"/>	<input type="radio"/>
Admin2 is a local administrator on Device3.	<input type="radio"/>	<input type="radio"/>

- A. Mastered
B. Not Mastered

Answer: A

Explanation:

Box 1: Yes

Users may join 5 devices to Azure AD. Box 2: Yes

Box 3: No

An additional local device administrator has not been applied Reference:

https://docs.microsoft.com/en-us/azure/active-directory/devices/device-management-azure-portal

NEW QUESTION 92


- (Exam Topic 4)

You have a Microsoft 365 tenant.

You create a named location named HighRiskCountries that contains a list of high-risk countries.

You need to limit the amount of time a user can stay authenticated when connecting from a high-risk country. What should you configure in a conditional access policy? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.



- A. Mastered
- B. Not Mastered

Answer: A

Explanation:

Graphical user interface, text, application Description automatically generated

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/location-condition> <https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/concept-conditional-access-session>

NEW QUESTION 97

- (Exam Topic 4)

Your network contains an on-premises Active Directory domain that sync to an Azure Active Directory (Azure AD) tenant. The tenant contains the shown in the following table.

Name	Type	Directory synced
User1	User	No
User2	User	Yes
User3	Guest	No

All the users work remotely.

Azure AD Connect is configured in Azure as shown in the following exhibit.

PROVISION FROM ACTIVE DIRECTORY



Azure AD Connect cloud provisioning

This feature allows you to manage provisioning from the cloud.

[Manage provisioning \(Preview\)](#)

Azure AD Connect sync

Sync Status	Enabled
Last Sync	Less than 1 hour ago
Password Hash Sync	Enabled

USER SIGN IN



Federation	Disabled	0 domains
Seamless single sign-on	Disabled	0 domains
Pass-through authentication	Enabled	2 agents

Connectivity from the on-premises domain to the internet is lost. Which user can sign in to Azure AD?

- A. User1 only
- B. User1 and User 3 only
- C. User1, and User2 only
- D. User1, User2, and User3

Answer: B

NEW QUESTION 101

- (Exam Topic 4)

You have a Microsoft 365 E5 subscription that contains a Microsoft SharePoint Online site named Site1. You need to ensure that users can request access to Site. the solution must meet the following requirements.

- Automatically approve requests from users based on their group membership.
- Automatically remove the access after 30 days What should you do?

- A. Create a Conditional Access policy.
- B. Create an access package.

- C. Configure Role settings in Azure AD Privileged Identity Management.
- D. Create a Microsoft Defender for Cloud Apps access policy.

Answer: B

NEW QUESTION 104

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant named contoso.com.

All users who run applications registered in Azure AD are subject to conditional access policies. You need to prevent the users from using legacy authentication.

What should you include in the conditional access policies to filter out legacy authentication attempts?

- A. a cloud apps or actions condition
- B. a user risk condition
- C. a client apps condition
- D. a sign-in risk condition

Answer: C

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/conditional-access/block-legacy-authentication>

NEW QUESTION 107

- (Exam Topic 4)

You create a new Microsoft 365 E5 tenant.

You need to ensure that when users connect to the Microsoft 365 portal from an anonymous IP address, they are prompted to use multi-factor authentication (MFA).

What should you configure?

- A. a sign-in risk policy
- B. a user risk policy
- C. an MFA registration policy

Answer: A

NEW QUESTION 112

- (Exam Topic 4)

You have an Azure Active Directory Premium P2 tenant. You create a Log Analytics workspace.

You need to ensure that you can view Azure Active Directory (Azure AD) audit log information by using Azure Monitor.

What should you do first?

- A. Run the Set-AzureADTenantDetail cmdlet.
- B. Create an Azure AD workbook.
- C. Modify the Diagnostics settings for Azure AD.
- D. Run the Get-AzureADAuditDirectoryLogs cmdlet.

Answer: D

Explanation:

Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/reports-monitoring/howto-integrate-activity-logs-with-lo>

NEW QUESTION 116

- (Exam Topic 4)

You have an Azure Active Directory (Azure AD) tenant that contains the groups shown in the following table.

Name	Type	Membership type
Group1	Security	Assigned
Group2	Security	Dynamic User
Group3	Security	Dynamic Device
Group4	Microsoft 365	Assigned
Group5	Microsoft 365	Dynamic User

For which groups can you create an access review?

- A. Group1 only
- B. Group1 and Group4 only
- C. Group1 and Group2 only
- D. Group1, Group2, Group4, and Group5 only
- E. Group1, Group2, Group3, Group4 and Group5

Answer: D

Explanation:

You cannot create access reviews for device groups. Reference:

<https://docs.microsoft.com/en-us/azure/active-directory/governance/create-access-review>

NEW QUESTION 117

- (Exam Topic 4)

You have an Azure subscription that contains the following virtual machine Name: VM1

Azure region: East US

System-assigned managed identity: Disabled

You create the managed identities shown in the following table.

Name	Location
Managed1	East US
Managed2	East US
Managed3	West US

You perform the following actions:

- Assign Managed1 to VM1.
- Create a resource group named RG1 in the West US region.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Answer Area

Statements	Yes	No
You can assign Managed2 to V1.	<input type="radio"/>	<input type="radio"/>
You can assign Managed3 to V1.	<input type="radio"/>	<input type="radio"/>
You can assign VM1 the Owner role for RG1.	<input type="radio"/>	<input type="radio"/>

A. Mastered

B. Not Mastered

Answer: A

Explanation:

Answer Area

Statements	Yes	No
You can assign Managed2 to V1.	<input checked="" type="radio"/>	<input type="radio"/>
You can assign Managed3 to V1.	<input checked="" type="radio"/>	<input type="radio"/>
You can assign VM1 the Owner role for RG1.	<input type="radio"/>	<input checked="" type="radio"/>

NEW QUESTION 122

- (Exam Topic 4)

You have a Microsoft 365 tenant.

You have an Active Directory domain that syncs to the Azure Active Directory (Azure AD) tenant. Users connect to the internet by using a hardware firewall at your company. The users authenticate to the

firewall by using their Active Directory credentials.

You plan to manage access to external applications by using Azure AD.

You need to use the firewall logs to create a list of unmanaged external applications and the users who access them.

What should you use to gather the information?

A. Cloud App Discovery in Microsoft Defender for Cloud Apps

B. enterprise applications in Azure AD

C. access reviews in Azure AD

D. Application Insights in Azure Monitor

Answer: A

NEW QUESTION 123

.....

THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual SC-300 Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the SC-300 Product From:

<https://www.2passeasy.com/dumps/SC-300/>

Money Back Guarantee

SC-300 Practice Exam Features:

- * SC-300 Questions and Answers Updated Frequently
- * SC-300 Practice Questions Verified by Expert Senior Certified Staff
- * SC-300 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- * SC-300 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year