



HUAWEI

Exam Questions H19-401_V1.0

HCSP-Presales-Campus Network Planning and Design V1.0

About ExamBible

Your Partner of IT Exam

Found in 1998

ExamBible is a company specialized on providing high quality IT exam practice study materials, especially Cisco CCNA, CCDA, CCNP, CCIE, Checkpoint CCSE, CompTIA A+, Network+ certification practice exams and so on. We guarantee that the candidates will not only pass any IT exam at the first attempt but also get profound understanding about the certificates they have got. There are so many alike companies in this industry, however, ExamBible has its unique advantages that other companies could not achieve.

Our Advances

* 99.9% Uptime

All examinations will be up to date.

* 24/7 Quality Support

We will provide service round the clock.

* 100% Pass Rate

Our guarantee that you will pass the exam.

* Unique Gurantee

If you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

NEW QUESTION 1

Which of the following obstacles may greatly attenuate radio signals and require special attention during site survey?

- A. Glazed ceramic wall
- B. Common glass
- C. Metal
- D. Reinforced concrete

Answer: CD

NEW QUESTION 2

Which of the following are key components of Huawei's SD-WAN Solution?

- A. NE
- B. Gateway
- C. iMaster NCE
- D. RR
- E. CPE

Answer: CE

NEW QUESTION 3

Which of the following are included in the network planning report of WLAN Planner?

- A. Floor simulation diagram
- B. Planned AP positions
- C. Bill of materials
- D. Device quotation

Answer: ABC

NEW QUESTION 4

The FireHunter is a high-performance advanced persistent threat (APT) detection system developed by Huawei. In addition to traditional security detection technologies, the FireHunter sandbox also uses multi-engine virtualized detection technologies to collect and analyze the static and dynamic behavior of software. It also has a unique behavior pattern library technology for precisely identifying malicious files transmitted on networks and command-and-control (C&C) connections, preventing the spread of unknown threats.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 5

Which of the following statements are true?

- A. A Fat AP works independently and requires separate configuration
- B. It provides only simple functions and is cost-effective.
- C. Fat APs are centrally managed and configured by a WAC, and provide various functions.
- D. APs working in cloud mode cannot be managed by a WAC.
- E. iMaster NCE can be used to manage WACs and manage Fit APs through WACs.

Answer: AD

NEW QUESTION 6

Which two network elements use the control channel to transmit information?

- A. CPE and CPE
- B. RR and CPE
- C. CPE and iMaster NCE

Answer: BC

NEW QUESTION 7

In the Huawei public cloud scenario of Huawei's CloudCampus Solution, which of the following are possible causes for the registration failure of a cloud-managed device?

- A. The device registration configuration is incorrect.
- B. The device fails to automatically obtain an IP address.
- C. The device is not added to the license authorization package.
- D. The device does not belong to any site.

Answer: ABD

NEW QUESTION 8

Huawei's CloudCampus Solution provides the automatic routing domain configuration function, which supports automatic deployment of dynamic routing protocols on the underlay network; for example, implementing automatic configuration of OSPF on the underlay network to enable IP reachability between fabric nodes. To achieve this, you simply need to enable this function on iMaster NCE.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 9

In Huawei's SD-WAN Solution, which of the following routing protocols can be used on interconnection links in the dual-gateway scenario?

- A. IBGP
- B. OSPF
- C. EBGP
- D. Static routing

Answer: ABCD

NEW QUESTION 10

Which of the following statements is true about the WLAN traffic forwarding model?

- A. In both direct and tunnel forwarding modes, after Layer 2 roaming is complete, traffic is forwarded to the home agent through a CAPWAP tunnel.
- B. In direct forwarding mode, after Layer 2 roaming is complete, traffic is directly forwarded by the FAP without passing through the FAC.
- C. In direct forwarding mode, after Layer 3 roaming is complete, traffic is sent to the HAC and then directly forwarded to the upper-layer network by default.
- D. In tunnel forwarding mode, after Layer 3 roaming is complete, traffic forwarded to the upper-layer network must pass through the HAC and then the HAP.

Answer: B

NEW QUESTION 10

APs with built-in omnidirectional antennas are recommended in narrow and long scenarios such as roads.

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 12

A radio of an AP can only work in either direct or tunnel forwarding mode.

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 14

Which of the following statements are true about local Internet access?

- A. Local Internet access applies to small enterprises or scenarios where centralized security control is not required for Internet access traffic and sites have WAN-side links for accessing the Internet.
- B. Local Internet access can be implemented in the following ways based on traffic classification: 1. All Internet access traffic is routed out from the local site to the Internet.
- C. 2. Internet access traffic of specified applications is routed out from the local site to the Internet.
- D. Internet access traffic of a site is routed out from the local Internet link to the Internet.
- E. Local Internet access policies can be configured on a per-department or per-site basis.

Answer: ABCD

NEW QUESTION 17

In Huawei's CloudCampus Solution, each site can be assigned a tenant administrator for network O&M. Therefore, the more sites are divided, the better.

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 22

Which of the following are typical 802.1X authentication modes?

- A. EAP termination
- B. EAP relay
- C. EAP-MD5
- D. EAP-TLS

Answer: AB

NEW QUESTION 24

Which of the following deployment modes are supported in Huawei CloudCampus Solution?

- A. Hybrid cloud deployment
- B. On-premises deployment
- C. Huawei public cloud deployment
- D. MSP-owned cloud deployment

Answer: ABC

NEW QUESTION 29

iMaster NCE-Campus can function as an AAA server or a Portal server in NAC applications and supports free mobility.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 34

In Huawei's SD-WAN Solution, data channels are established through GRE or GRE over IPsec.

- A. TRUE
- B. FALSE

Answer: B

NEW QUESTION 39

iMaster NCE-Campus can synchronize user groups and user accounts from Active Directory (AD) and other standard Lightweight Directory Access Protocol (LDAP) servers. Administrators can enable this function when configuring user access and authentication, avoiding the need to manually add user accounts.

- A. TRUE
- B. FALSE

Answer: A

NEW QUESTION 41

In high-density scenarios, what is the minimum SNR detected by a STA to ensure a balance between the bandwidth and signal coverage?

- A. 15 dB
- B. 25 dB
- C. 20 dB
- D. 30 dB

Answer: C

NEW QUESTION 46

Which of the following methods can be used to control the coverage area of an AP?

- A. Adjusting the antenna angle of an AP
- B. Adjusting the access bandwidth of an AP
- C. Adjusting the transmit power of an AP
- D. Adjusting the power supply of an AP

Answer: AC

NEW QUESTION 47

Which of the following statements are true about overlay topology control?

- A. Edge devices establish data channels based on the next-hop site ID of service routes and TNP information.
- B. Data channel establishment can be controlled based on the next-hop IP address of service routes.
- C. Data channels between edge devices form an overlay topology and are established mainly depending on service routes.
- D. Controlling the establishment of data channels can help control the overlay topology.

Answer: ACD

NEW QUESTION 51

In Huawei public cloud scenario of Huawei's CloudCampus Solution, during the small- and medium-sized campus network design, which of the following items does not need to be considered when engineers perform reliability design for site networks?

- A. Egress link reliability
- B. Device reliability

- C. Link reliability within a campus network
- D. Cloud management platform reliability

Answer: D

NEW QUESTION 56

Which of the following patterns can be used to identify and analyze connectivity issues using the clustering algorithms of iMaster NCE-CampusInsight?

- A. SSID
- B. Vendor
- C. User
- D. AC/AP

Answer: AB

NEW QUESTION 61

Assume that an executive of Company L has high requirements concerning the quality of the wireless network. Which of the following methods can be used to mark the executive?

- A. View the MAC address of the executive.
- B. Wait passively for alarms.
- C. View the IP address of the executive.
- D. Set the executive as a VIP user on the GUI.

Answer: D

NEW QUESTION 62

Which of the following are WAN optimization technologies provided by SD-WAN?

- A. Packet loss mitigation
- B. Transmission optimization
- C. Data optimization
- D. Intelligent optimization

Answer: ABC

NEW QUESTION 66

.....

Relate Links

100% Pass Your H19-401_V1.0 Exam with Exam Bible Prep Materials

https://www.exambible.com/H19-401_V1.0-exam/

Contact us

We are proud of our high-quality customer service, which serves you around the clock 24/7.

Viste - <https://www.exambible.com/>