

# Oracle

## Exam Questions 1z0-1151-25

Oracle Cloud Infrastructure 2025 Multicloud Architect Professional



#### NEW QUESTION 1

What comprises the physical architecture of Oracle Database@Azure?

- A. OCI pods in Azure data centers contain the Exadata Database Service stack, but all other dependencies and controls reside in the nearest OCI data center.
- B. OCI pods created inside the Azure data center are an extension of the OCI data center with the same OCI infrastructure, service stack, Exadata Database Service, and all dependencies.
- C. Oracle creates an OCI pod closest to the Azure Data Center and connects it with the nearest OCI region by a low-latency Oracle-managed network link.
- D. Oracle places three OCI availability domains, one in each of the three Azure availability zones.

**Answer: B**

#### NEW QUESTION 2

What steps must be completed during the onboarding process for Oracle Database@Google Cloud?

- A. Purchase and configuration
- B. Google Cloud project creation and OCI account subscription
- C. My Oracle Support registration and RBAC assignment
- D. Account linking and identity federation

**Answer: A**

#### NEW QUESTION 3

Which components are required to establish a Site-to-Site VPN connection in Oracle Cloud Infrastructure?

- A. Internet Gateway (IG), Network Address Translation (NAT) Gateway, and IPsec tunnel
- B. Dynamic Routing Gateway (DRG), NAT Gateway, and IPsec tunnel
- C. Internet Gateway, Customer Premises Equipment (CPE), and IPsec tunnel
- D. Dynamic Routing Gateway (DRG), Customer Premises Equipment (CPE), and IPsec tunnel

**Answer: D**

#### NEW QUESTION 4

Which statement accurately describes the difference between public peering and private peering in OCI FastConnect?

- A. Public peering and private peering cannot be configured simultaneously in a single OCI FastConnect setup.
- B. Both public and private peering require the use of the Oracle Services Network to connect to Oracle Cloud resources.
- C. Private peering allows direct access to resources within a Virtual Cloud Network (VCN) using private IP addresses, while public peering provides access to Oracle public-facing services, bypassing the Internet.
- D. Public peering is used to connect on-premises networks to private OCI resources, while private peering is used to connect to Oracle public-facing services such as Object Storage.

**Answer: C**

#### NEW QUESTION 5

Which OCI native database service can you provision with Oracle Database@Google Cloud?

- A. Base Database Service
- B. Autonomous Database on Dedicated Infrastructure
- C. HeatWave
- D. HeatWave

**Answer: B**

#### NEW QUESTION 6

Which role is required under the Microsoft Customer Agreement to accept a private offer in the Azure Marketplace for Oracle Database@Azure?

- A. Free + Paid permissions
- B. User access administrator role
- C. Billing account owner or contributor role
- D. Enterprise administrator role

**Answer: C**

#### NEW QUESTION 7

Which is the responsibility of a customer using Oracle Database on Google Cloud?

- A. Provision Exadata Infrastructure in Google Cloud Console
- B. Update infrastructure and software in OCI
- C. Provision containers and pluggable databases in Google Cloud Console
- D. Provision Exadata VM cluster in OCI

**Answer: A**

#### NEW QUESTION 8

While configuring Oracle Interconnect for Google Cloud, which specific Interconnect Type must users select when creating a VLAN attachment on the Google Cloud Platform (GCP) console?

- A. Partner Interconnect Connection
- B. Cross-Cloud Interconnect Connection
- C. Dedicated Interconnect Connection
- D. VPN Interconnect Connection

**Answer: A**

#### NEW QUESTION 9

Which type of storage is used as a backup destination for an autonomous database provisioned in Oracle Database@Google Cloud?

- A. Google Cloud Persistent Disks
- B. OCI Object Storage
- C. Google Cloud Filestore
- D. None of the above

**Answer: A**

#### NEW QUESTION 10

During provisioning in Oracle Database@Azure, delegated subnets are linked with OCI VCN inside the OCI pods in Azure. When do you perform this step during provisioning?

- A. Delegated subnets attachment happens when you provide the VCN details during the provisioning of container databases in OCI.
- B. Delegated subnets attachment with OCI pods containing the Exadata Database Service is a prerequisite action that is completed during the OCI account linking.
- C. Delegated subnets attachment happens when you provide the subnet details during provisioning of Oracle Exadata Database Service in Azure.
- D. Delegated subnets attachment happens when you provide the subnet details during provisioning of Oracle Exadata VM Cluster.

**Answer: D**

#### NEW QUESTION 10

How can the organization ensure secure and efficient data transfer between the frontend applications and the backend data warehouse in this scenario?

- A. By using public internet connections to transfer data between Azure and OCI, encrypting the data in transit
- B. By establishing a dedicated, private connection between Azure and OCI using Azure ExpressRoute and Oracle FastConnect
- C. By implementing a hybrid cloud approach that integrates on-premises infrastructure with both Azure and OCI
- D. By leveraging a VPN Gateway to create an encrypted tunnel between Azure and OCI for secure data transfer

**Answer: B**

#### NEW QUESTION 11

What BGP IP addresses are required when setting up the Oracle virtual circuit in Oracle Interconnect for Azure?

- A. Only a primary pair of BGP addresses is required.
- B. BGP addresses are not required for setting up the Oracle virtual circuit.
- C. Both a primary and secondary pair of BGP addresses are required.
- D. Only a secondary pair of BGP addresses is required.

**Answer: C**

#### NEW QUESTION 13

Which workload type is NOT optimized for Oracle Autonomous Database on Shared Exadata Infrastructure?

- A. Data warehousing
- B. Mixed workloads
- C. High-performance computing
- D. Transaction processing

**Answer: C**

#### NEW QUESTION 18

Which tasks are performed in the Azure portal when using Oracle Database@Azure?

- A. Enabling Data Guard for database backups
- B. Configuring Oracle database homes
- C. Managing and maintaining Exadata VM cluster and infrastructure
- D. Provisioning container and pluggable databases

**Answer: C**

#### NEW QUESTION 21

What encryption protocol is used to secure data transmission in an OCI Site-to-Site VPN connection?

- A. Secure Sockets Layer (SSL)
- B. Datagram Transport Layer Security (DTLS)
- C. Transport Layer Security (TLS)
- D. Internet Protocol Security (IPsec)

**Answer: D**

**NEW QUESTION 26**

.....

## **Thank You for Trying Our Product**

### **We offer two products:**

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### **1z0-1151-25 Practice Exam Features:**

- \* 1z0-1151-25 Questions and Answers Updated Frequently
- \* 1z0-1151-25 Practice Questions Verified by Expert Senior Certified Staff
- \* 1z0-1151-25 Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* 1z0-1151-25 Practice Test Questions in Multiple Choice Formats and Updates for 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
**[Order The 1z0-1151-25 Practice Test Here](#)**