



## **Salesforce**

### **Exam Questions Salesforce-MuleSoft-Developer-II**

Salesforce Certified MuleSoft Developer 2 (SP24)

### NEW QUESTION 1

An API has been built to enable scheduling email provider. The front-end system does very little data entry validation, and problems have started to appear in the email that go to patients. A validate-customer???? flow is added validate the data.

What is the expected behavior of the ??validate-customer???? flow?

```
<flow name="validate-customer">
  <validation:all>
    <validation:is-email email="#[payload.customer.emailAddress]" message="invalid email address">
      <error-mapping sourceType="VALIDATION:INVALID_EMAIL" targetType="SCHEDULE:INVALID_EMAIL_ADDRESS"/>
    </validation:is-email>
    <validation:matches-regex value="#[payload.schedule.appointmentDate]"
      regex="^\d{4}-\d{2}-\d{2}$" message="Invalid appointment date">
      <error-mapping sourceType="VALIDATION:MISMATCH" targetType="SCHEDULE:INVALID_APPOINTMENT_DATE"/>
    </validation:matches-regex>
    <validation:is-not-null value="#[payload.customer.name]" message="Invalid customer name">
      <error-mapping sourceType="VALIDATION:NULL" targetType="SCHEDULE:INVALID_CUSTOMER_NAME"/>
    </validation:is-not-null>
  </validation:all>
</flow>
```

- A. If only the email address is invalid a VALIDATION.INVALID\_EMAIL error is raised
- B. If the email address is invalid, processing continues to see if the appointment data and customer name are also invalid
- C. If the appointment date and customer name are invalid, a SCHEDULE:INVALID\_APPOINTMENT\_DATE error is raised
- D. If all of the values are invalid the last validation error is raised: SCHEDULE:INVALID\_CUSTOMER\_NAME

**Answer:** A

### NEW QUESTION 2

Multiple individual Mule application need to use the Mule Maven plugin to deploy to CloudHub.

The plugin configuration should .. reused where necessary and anything project, specific should be property-based.

Where should the Mule Maven details be configured?

- A. A parent pom.xml
- B. Settings, xml
- C. Pom, xml
- D. A Bill of Materials (BOM) parent pm

**Answer:** A

### NEW QUESTION 3

A Mule application contain two policies Policy A and Policy B. Policy A has order 1, and Policy B has order 2. Policy A Policy B, and a flow are defined by the configuration below.

```
<http-policy:proxy name="policy-A">
  <http-policy:source>
    <A1/>
    <http-policy:execute-next/>
    <A2/>
  </http-policy:source>
</http-policy:proxy>
```

```
<http-policy:proxy name="policy-B">
  <http-policy:source>
    <B1/>
    <http-policy:execute-next/>
    <B2/>
  </http-policy:source>
</http-policy:proxy>
```

```
<flow name="flow">
  <http:listener/>
  <F1/>
</flow>
```

When a HTTP request arrives at the Mule application's endpoint, what will be the execution order?

- A. A1, B1, F1, B2, A2
- B. B1, A1, F1, A2, B2
- C. F1, A1, B1, B2, A2
- D. F1, B1, A1, A2, B2

**Answer:** A

#### NEW QUESTION 4

Which configurations are required for HTTP Listener to enable mTLS authentication?

- A. Set an appropriate reconnection strategy and use persistent connections for the listener
- B. Set an appropriate keystore configuration and use persistent connections for the listener
- C. Set an appropriate keystore and truststore configuration for the listener
- D. Set an appropriate truststore configuration and reconnection strategy for the listener

**Answer:** C

#### NEW QUESTION 5

When implementing a synchronous API where the event source is an HTTP Listener, a developer needs to return the same correlation ID back to the caller in the HTTP response header.

How can this be achieved?

- A. Enable the auto-generate CorrelationID option when scaffolding the flow
- B. Enable the CorrelationID checkbox in the HTTP Listener configuration
- C. Configure a custom correlation policy
- D. NO action is needed as the correlation ID is returned to the caller in the response header by default

**Answer:** D

#### NEW QUESTION 6

A company has been using CI/CD. Its developers use Maven to handle build and deployment activities. What is the correct sequence of activities that takes place during the Maven build and deployment?

- A. Initialize, validate, compute, test, package, verify, install, deploy
- B. Validate, initialize, compile, package, test, install, verify, verify, deploy
- C. Validate, initialize, compile, test package, verify, install, deploy
- D. Validation, initialize, compile, test, package, install verify, deploy

Answer: C

#### NEW QUESTION 7

Refer to the exhibits.

Bioinfo System API is implemented and published to Anypoint Exchange. A developer wants to invoke this API using its REST Connector.

What should be added to the POM?

A)

```
<repository>
  <groupId>XXXXX-XXXXXXX-XXXX-XXXXX-XXXXX-X</groupId>
  <artifactId>mule-plugin-bio-info</artifactId>
  <version>1.0.0</version>
  <classifier>mule-plugin</classifier>
</repository>
```

B)

```
<rest-connect>
  <groupId>XXXXX-XXXXXXX-XXXX-XXXXX-XXXXX-X</groupId>
  <artifactId>mule-plugin-bio-info</artifactId>
  <version>1.0.0</version>
  <classifier>mule-plugin</classifier>
</rest-connect>
```

C)

```
<dependency>
  <groupId>XXXXX-XXXXXXX-XXXX-XXXXX-XXXXX-X</groupId>
  <artifactId>mule-plugin-bio-info</artifactId>
  <version>1.0.0</version>
  <classifier>mule-plugin</classifier>
  <artifactId>mule-plugin-bio-info</artifactId>
  <version>1.0.0</version>
  <classifier>mule-plugin</classifier>
</rest-connect>
```

D)

```
<dependency>
  <groupId>XXXXX-XXXXXXX-XXXX-XXXXX-XXXXX-X</groupId>
  <artifactId>mule-plugin-bio-info</artifactId>
  <version>1.0.0</version>
  <classifier>mule-plugin</classifier>
</dependency>
```

E)

```
<plugin>
  <groupId>XXXXX-XXXXXXX-XXXX-XXXX-XXXX-X</groupId>
  <artifactId>mule-plugin-bio-info</artifactId>
  <version>1.0.0</version>
  <classifier>mule-plugin</classifier>
</plugin>
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D
- E. Option E

**Answer:** E

#### NEW QUESTION 8

A healthcare customer wants to use hospital system data, which includes code that was developed using legacy tools and methods. The customer has created reusableJava libraries in order to read the data from the system.

What is the most effective way to develop an API retrieve the data from the hospital system?

- A. Refer to JAR files in the code
- B. Include the libraries writes deploying the code into the runtime
- C. Create the Java code in your project and invoice the data from the code
- D. Install libraries in a local repository and refer to it in the pm.xml file

**Answer:** D

#### NEW QUESTION 9

A custom policy needs to be developed to intercept all cutbound HTTP requests made by Mule applications.

Which XML element must be used to intercept outbound HTTP requests?

- A. It is not possible to intercept outgoing HTTP requests, only inbound requests
- B. http-policy:source
- C. htt-policy:operation
- D. http-policy:processor

**Answer:** B

#### Explanation:

The http-policy:processor element is used to intercept outbound HTTP requests made by Mule applications. It allows customizing the request before it is sent to the target API and modifying the response after it is received from the target API.

References: <https://docs.mulesoft.com/api-manager/2.x/policy-mule4-custom-policy#policyxml-file>

#### NEW QUESTION 10

Which type of cache invalidation does the Cache scope support without having to write any additional code?

- A. Write-through invalidation
- B. White-behind invalidation
- C. Time to live
- D. Notification-based invalidation

**Answer:** C

#### NEW QUESTION 10

An API has been developed and deployed to CloudHub Among the policies applied to this API is an allowlist of IP addresses. A developer wants to run a test in Anypoint Studio and does not want any policies applied because their workstation is not included in the allowlist.

What must the developer do in order to run this test locally without the policies applied?

- A. Create a properties file specifically for local development and set the API instance ID to a value that is notused in API Manager
- B. Pass in the runtime parameter -Danpow.platform.gatekeeper=disabled-
- C. Deactivate the API in API Manager so the Autodiscovery element will not find the application when it runs in Studio
- D. Run the test as-s, with no changes because the Studio runtime will not attempt to connect to API Manager

**Answer:** B

#### NEW QUESTION 13

Which pattern can a web API use to notify its client of state changes as soon as they occur?

- A. HTTP Webhock
- B. Shared database trigger

- C. Schedule Event Publisher
- D. ETL data load

**Answer:** A

**NEW QUESTION 18**

Which statement is true when using XML SDK for creating custom message processors?

- A. Properties are fields defined by an end user of the XML SDK component and serve as a global configuration for the entire Mule project in which they are used
- B. An XML SDK provides both inbound and outbound operations
- C. Operations can be reused in recursive calls
- D. All operations are public

**Answer:** A

**NEW QUESTION 19**

A Mule application defines an SSL/TLS keystore properly as `secure::tiskeystore.keyPassword` as secure. How can this property be referenced to access its value within the application?

- A. `#{secure::tiskeystore,keyPassowrd}`
- B. `${secure::tiskeystore,keyPassowrd}`
- C. `#{secure::tiskeystore,keyPassowrd}`
- D. `p{secure::tiskeystore,keyPassowrd}`

**Answer:** B

**NEW QUESTION 23**

Refer to the exhibit.

What action must be performed to log all the errors raised by the VM Connector?



```

1 <?xml version="1.0" encoding="utf-8"?>
2 <Configuration>
3
4   <Appenders>
5     <RollingFile name="file" >
13
14   </Appenders>
15
16   <Loggers>
17
18 </Loggers>
19 </Configuration>

```

- A. Add `<AsyncLogger name="org.mule.extension.vm" level="ERROR"/>` inside the Logger tag
- B. Add `<AsyncLogger name="org.mule.extension.vm" level="ERROR"/>` inside the Appenders tag
- C. Configure `<Logger level="ERROR"/>` inside the VM Connector configuration
- D. Nothing, as error-level events are automatically logged

**Answer:** B

**Explanation:**

To log all the errors raised by the VM Connector, the developer needs to add an async logger with the name `org.mule.extension.vm` and the level `ERROR` inside the appenders tag of the `log4j2.xml` file. This will enable logging all error-level events generated by the VM Connector to the console appender. References: <https://docs.mulesoft.com/mule-runtime/4.3/logging-in-mule#configuring-custom-loggingsettings>

**NEW QUESTION 24**

A developer is working on a project that requires encrypting all data before sending it to a backend application. To accomplish this, the developer will use PGP encryption in the Mule 4 Cryptography module.

What is required to encrypt the data before sending it to the backend application?

- A. The application needs to configure HTTPS TLS context information to encrypt the data
- B. The application needs to both the private and public keys to encrypt the data
- C. The application needs the public key from the backend service to encrypt the data
- D. The application needs the private key from the backend service to encrypt the data

**Answer:** C

**Explanation:**

To encrypt the data before sending it to the backend application using PGP encryption, the application needs the public key from the backend service. PGP encryption uses a public-key cryptography system, which means that each party has a pair of keys: a public key and a private key. The public key is used to encrypt data, and the private key is used to decrypt data. Therefore, to encrypt data for a specific recipient (the backend service), the application needs to use the recipient's public key. The recipient can then use its own private key to decrypt the data. References: <https://docs.mulesoft.com/muleruntime/4.3/cryptography-pgp>

#### NEW QUESTION 29

A Mule application deployed to a standardalone Mule runtime uses VM queues to publish messages to be consumed asynchronously by another flow. In the case of a system failure, what will happen to in-flight messages in the VM queuesthat have been consumed?

- A. For nay type of queue, the message will be processed after the system comes online
- B. For persistent queues, the message will be processed after the system comes online
- C. For transient queues, the message will be processed after the system comes online
- D. For any type of queue, the message will be lost

**Answer: B**

#### NEW QUESTION 32

When registering a client application with an existing API instance or API Group instance, what is required to manually approve or reject request access?

- A. To configure the SLA tier for the application and have the role of Organization Administrator, API Manager Environment Administrator, or the Manage Contacts permission
- B. To configure the SLA tier for the application and have the Exchange Administrator permission
- C. To configure the SLA tier for the application
- D. To only have Exchange Administrator permission

**Answer: D**

#### NEW QUESTION 37

In a Mule project, Flow-1 contains a flow-ref to Flow-2 depends on data from Flow-1 to execute successfully. Which action ensures the test suites and test cases written for Flow-1 and Flow-2 will execute successfully?

- A. Chain together the test suites and test cases for Flow-1 and Flow-2
- B. Use ???Set Event to pass the input that is needed, and keep the test cases for Flow-1 and Flow-2 independent
- C. Use ???Before Test Case??? To collect data from Flow-1 test cases before running Flow-2 test cases
- D. Use ??After Test Case?? to produce the data needed from Flow-1 test cases to pass to Flow-2 test cases

**Answer: B**

#### Explanation:

To ensure the test suites and test cases written for Flow-1 and Flow-2 will execute successfully, the developer should use a Set Event processor to pass the input that is needed by Flow-2, and keep the test cases for Flow-1 and Flow-2 independent. This way, the developer can isolate the testing of each flow and avoid coupling them together.

References: <https://docs.mulesoft.com/munit/2.3/munit-test-flow>

#### NEW QUESTION 41

A company with MuleSoft Titanium develops a Salesforce System API using MuleSoft out- of-the-box Salesforce Connector and deploys the API to CloudHub. Which steps provide the average number of requests and average response time of the Salesforce Connector?

- A. Access Anypoint Monitoring??s built-in dashboar
- B. Select a resourc
- C. Locatethe information under the Connectors tab.
- D. Access Anypoint Monitoring??s built-in dashboard Seclect a resource.Create a custom dashboard to retrieve the information.
- E. Access Anypoint Monitoring built-in dashboard
- F. Select a resource.Locate the information under Log Manager < Raw Data.
- G. Change the API Implementation to capture the information in the lo
- H. Retrieve the information from the log file.

**Answer: A**

#### Explanation:

To get the average number of requests and average response time of the Salesforce Connector, the developer should access Anypoint Monitoring??s built-in dashboard, select a resource (such as an application or an API), and locate the information under the Connectors tab. The Connectors tab shows metrics for each connector used by the resource, such as average requests per minute, average response time, and failures.

References: <https://docs.mulesoft.com/monitoring/built-in-dashboard-reference>

#### NEW QUESTION 43

Which plugin or dependency is required to unit test modules created with XML SDK?

- A. XMLUnit
- B. Junit
- C. MUnit Extensions Maven plugin
- D. MUnit Maven plugin

**Answer: C**

#### NEW QUESTION 45

The Center for Enablement team published a common application as a reusable module to the central Nexus repository. How can the common application be included in all API implementations?

- A. Download the common application from Naxus and copy it to the src/main/resources folder in the API
- B. Copy the common application??s source XML file and out it in a new flow file in the src/main/mule folder
- C. Add a Maven dependency in the PCM file with multiple-plugin as <classifier>
- D. Add a Maven dependency in the POM file with jar as <classifier>

Answer: D

NEW QUESTION 50

.....

## Thank You for Trying Our Product

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questions and Answers in PDF Format

### Salesforce-MuleSoft-Developer-II Practice Exam Features:

- \* Salesforce-MuleSoft-Developer-II Questions and Answers Updated Frequently
- \* Salesforce-MuleSoft-Developer-II Practice Questions Verified by Expert Senior Certified Staff
- \* Salesforce-MuleSoft-Developer-II Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* Salesforce-MuleSoft-Developer-II Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

**100% Actual & Verified — Instant Download, Please Click**  
[Order The Salesforce-MuleSoft-Developer-II Practice Test Here](#)