

## Exam Questions LFCS

Linux Foundation Certified System Administrator

<https://www.2passeasy.com/dumps/LFCS/>



#### NEW QUESTION 1

CORRECT TEXT

In an xinetd configuration file, which attribute specifies the network address that will be used to provide the service?

A.

**Answer:** bindinterface

#### NEW QUESTION 2

From a Bash shell, which of the following commands directly executes the instruction from the file /usr/local/bin/runme.sh without starting a subshell? (Please select TWO answers.)

- A. source /usr/local/bin/runme.sh
- B. /usr/local/bin/runme.sh
- C. /bin/bash /usr/local/bin/runme.sh
- D. /usr/local/bin/runme.sh
- E. run /usr/local/bin/runme.sh

**Answer:** AB

#### NEW QUESTION 3

What is the output of the following command? echo "Hello World" | tr -d aieou

- A. Hello World
- B. eoo
- C. Hll Wrld
- D. eoo Hll Wrld

**Answer:** C

#### NEW QUESTION 4

Which of the following tasks can be accomplished using the command date? (Choose TWO correct answers.)

- A. Synchronize the hardware and system clocks.
- B. Output date and time in different formats.
- C. Set the system clock.
- D. Set the hardware clock.
- E. Update the time via NTP.

**Answer:** BC

#### NEW QUESTION 5

CORRECT TEXT

By default, the contents of which directory will be copied to a new user's home directory when the account is created by passing the -m option to the useradd command? (Specify the full path to the directory.)

A.

**Answer:** /etc/skel

#### NEW QUESTION 6

Given a file called birthdays containing lines like:

YYYY-MM-DD Name 1983-06-02 Tim

1995-12-17 Sue

Which command would you use to output the lines belonging to all people listed whose birthday is in May or June?

- A. grep '[56]' birthdays
- B. grep 05?6? birthdays
- C. grep '[0-9]\*-0[56]-' birthdays
- D. grep 06 birthdays | grep 05

**Answer:** C

#### NEW QUESTION 7

CORRECT TEXT

Which keyword must be listed in the hosts option of the Name Service Switch configuration file in order to make host lookups consult the /etc/hosts file?

A.

**Answer:** files

#### NEW QUESTION 8

What is a purpose of an SSH host key?

- A. It must be sent by any SSH client in addition to a user key in order to identify the client's host.
- B. It provides the server's identity information to connecting SSH clients.
- C. It is the root key by which all user SSH keys must be signed.
- D. It authenticates any user that logs into a remote machine from the key's host.
- E. It is used by system services like cron, syslog or a backup job to automatically connect to remote hosts.

**Answer:** B

#### NEW QUESTION 9

Which of the following commands shows the current color depth of the X Server?

- A. xcd
- B. xcdepth
- C. xwininfo
- D. xcolordepth
- E. cat /etc/X11

**Answer:** C

#### NEW QUESTION 10

Which of the following is observed and corrected by a NTP client?

- A. The skew in time between the system clock and the hardware clock.
- B. The skew in time between the system clock and the reference clock.
- C. Changes in the time zone of the current computer's location.
- D. Adjustments needed to support Daylight Saving Time.

**Answer:** B

#### NEW QUESTION 10

Which configuration file would be edited to change the default options for outbound SSH sessions?

- A. /etc/ssh/sshd\_config
- B. /etc/ssh/ssh
- C. /etc/ssh/client
- D. /etc/ssh/ssh\_config
- E. /etc/ssh/ssh\_client

**Answer:** D

#### NEW QUESTION 15

Which of the following commands is used to update the list of available packages when using dpkg based package management?

- A. apt-get update
- B. apt-get upgrade
- C. apt-cache update
- D. apt-get refresh
- E. apt-cache upgrade

**Answer:** A

#### NEW QUESTION 19

CORRECT TEXT

Which umask value will result in the default access permissions of 600 (rw-----) for files and 700 (rwx-----) for directories? (Specify only the numerical umask value.)

A.

**Answer:** 0077077

#### NEW QUESTION 23

What is true about the file /etc/localtime?

- A. It is a plain text file containing a string such as Europe/Berlin.
- B. It is created and maintained by the NTP service based on the geolocation of the system's IP address.
- C. It is a symlink to /sys/device/clock/ltime and always contains the current local time.
- D. It is either a symlink to or a copy of a timezone information file such as /usr/share/zoneinfo/Europe/Berlin.

**Answer:** D

#### NEW QUESTION 25

Which of the following files assigns a user to its primary group?

- A. /etc/pgroup
- B. /etc/shadow

- C. /etc/group
- D. /etc/passwd
- E. /etc/gshadow

**Answer:** D

#### NEW QUESTION 29

Which approach will provide a listing of the contents in a tar archive?

- A. Use the tar command with -t.
- B. Use the grep command.
- C. Use the find command.
- D. Use the zless command.
- E. Use the zlist command.

**Answer:** A

#### NEW QUESTION 34

Which configuration file would be edited to change default options for the OpenSSH server?

- A. /etc/ssh/sshd\_config
- B. /etc/ssh/ssh
- C. /etc/ssh/server
- D. /etc/ssh/ssh\_config
- E. /etc/ssh/ssh\_server

**Answer:** A

#### NEW QUESTION 38

Which of the following commands is used to change options and positional parameters for a running Bash?

- A. history
- B. set
- C. bashconf
- D. setsh
- E. envsetup

**Answer:** B

#### NEW QUESTION 40

How can the existing environment variable FOOBAR be suppressed for the execution of the script ./myscript only?

- A. unset -v FOOBAR;./myscript
- B. set -a FOOBAR="";./myscript
- C. env -u FOOBAR./myscript
- D. env -i FOOBAR./myscript

**Answer:** C

#### NEW QUESTION 41

Which of the following programs can be used to determine the routing path to a given destination?

- A. dig
- B. netstat
- C. ping
- D. route
- E. traceroute

**Answer:** E

#### NEW QUESTION 42

What does the ? symbol within regular expressions represent?

- A. Match the preceding qualifier one or more times.
- B. Match the preceding qualifier zero or more times.
- C. Match the preceding qualifier zero or one times.
- D. Match a literal ? character.

**Answer:** C

#### NEW QUESTION 47

Which of the following statements is correct when talking about /proc/?

- A. All changes to files in /proc/ are stored in /etc/proc.d/ and restored on reboot.
- B. All files within /proc/ are read-only and their contents cannot be changed.

- C. All changes to files in /proc/ are immediately recognized by the kernel.
- D. All files within/proc/ are only readable by the root user.

**Answer:** C

**NEW QUESTION 48**

Which grep command will print only the lines that do not end with a / in the file foo?

- A. grep '\$' foo
- B. grep '#' foo
- C. grep -v '\$' foo
- D. grep -v '#' foo

**Answer:** C

**NEW QUESTION 52**

Which of the following commands will help identify a broken router between the local and the remote machine?

- A. ps
- B. netstat
- C. nslookup
- D. ifconfig
- E. traceroute

**Answer:** E

**NEW QUESTION 54**

Given the following routing table:

| Destination   | Gateway       | Genmask       | Flags | Metric | Ref | Use | Iface |
|---------------|---------------|---------------|-------|--------|-----|-----|-------|
| 0.0.0.0       | 192.168.178.1 | 0.0.0.0       | UG    | 0      | 0   | 0   | wlan0 |
| 192.168.1.0   | 0.0.0.0       | 255.255.255.0 | U     | 0      | 0   | 0   | eth0  |
| 192.168.2.0   | 192.168.1.1   | 255.255.255.0 | U     | 0      | 0   | 0   | eth0  |
| 192.168.178.0 | 0.0.0.0       | 255.255.255.0 | U     | 9      | 0   | 0   | wlan0 |

How would an outgoing packet to the destination 192.168.2.150 be handled?

- A. It would be passed to the default router 192.168.178.1 on wlan0.
- B. It would be directly transmitted on the device eth0.
- C. It would be passed to the default router 255.255.255.0 on eth0.
- D. It would be directly transmitted on the device wlan0.
- E. It would be passed to the router 192.168.1.1 on eth0.

**Answer:** E

**NEW QUESTION 58**

To prevent a specific user from scheduling tasks with at, what should the administrator do?

- A. Add the specific user to /etc/at.allow file.
- B. Add the specific user to [deny] section in the /etc/atd.conf file.
- C. Add the specific user to /etc/at.deny file.
- D. Add the specific user to nojobs group.
- E. Run the following: atd --deny [user].

**Answer:** C

**NEW QUESTION 61**

When the command echo \$\$ outputs 12942, what is the meaning of 12942?

- A. It is the process ID of the echo command.
- B. It is the process ID of the current shell.
- C. It is the process ID of the last command executed.
- D. It is the process ID of the last command which has been placed in the background.

**Answer:** B

**NEW QUESTION 64**

Which of the following files, when existing, affect the behavior of the Bash shell? (Choose TWO correct answers.)

- A. ~/.bashconf
- B. ~/.bashrc
- C. ~/.bashdefaults
- D. ~/.bash\_etc
- E. ~/.bash\_profile

**Answer:** BE

#### NEW QUESTION 67

Which of the following commands can be used to determine how long the system has been running? (Choose TWO correct answers.)

- A. uptime
- B. up
- C. top
- D. uname -u
- E. time -up

**Answer:** AC

#### NEW QUESTION 71

How can the current directory and its subdirectories be searched for the file named MyFile.xml?

- A. find . -name MyFile.xml
- B. grep MyFile.xml | find
- C. grep -r MyFile.xml .
- D. less MyFile.xml
- E. search Myfile.xml ./

**Answer:** A

#### NEW QUESTION 76

After moving data to a new filesystem, how can the former path of the data be kept intact in order to avoid reconfiguration of existing applications? (Choose TWO correct answers.)

- A. By creating an ACL redirection from the old to the new path of the data.
- B. By creating a hard link from the old to the new path of the data.
- C. By creating a symbolic link from the old to the new path of the data.
- D. By running the command touch on the old path.
- E. By mounting the new filesystem on the original path of the data.

**Answer:** CE

#### NEW QUESTION 81

What does the command mount -a do?

- A. It ensures that all file systems listed with the option noauto in /etc/fstab are mounted.
- B. It shows all mounted file systems that have been automatically mounted.
- C. It opens an editor with root privileges and loads /etc/fstab for editing.
- D. It ensures that all file systems listed with the option auto in /etc/fstab are mounted.
- E. It ensures that all file systems listed in /etc/fstab are mounted regardless of their options.

**Answer:** D

#### NEW QUESTION 83

Which of the following fields are available in both the global /etc/crontab file as well as in user-specific crontab files? (Select TWO correct answers)

- A. Year
- B. Minute
- C. Username
- D. Command

**Answer:** BD

#### NEW QUESTION 84

Which of the following parameters are used for journalctl to limit the time frame of the output? (Choose TWO correct answers.)

- A. --from=
- B. --since=
- C. --until=
- D. --upto=
- E. --date=

**Answer:** BC

#### NEW QUESTION 89

In compliance with the FHS, in which of the directories are man pages found?

- A. /usr/share/man
- B. /opt/man
- C. /usr/doc/
- D. /var/pkg/man
- E. /var/man

**Answer:**

A

#### NEW QUESTION 94

Which file should be edited to select the network locations from which Debian installation package files are loaded?

- A. /etc/dpkg/dpkg.cfg
- B. /etc/apt/apt.conf
- C. /etc/apt/apt.conf.d
- D. /etc/apt/sources.list
- E. /etc/dpkg/dselect.cfg

**Answer:** D

#### NEW QUESTION 95

How is a display manager started?

- A. It is started by a user using the command startx.
- B. It is started like any other system service by the init system.
- C. It is started by inetd when a remote hosts connects to the X11 port.
- D. It is started automatically when a X11 user logs in to the system console.

**Answer:** B

#### NEW QUESTION 96

Which of the following fields can be found in the /etc/group file? (Choose THREE correct answers.)

- A. The list of users that belong to the group.
- B. The home directory of the group.
- C. The name of the group.
- D. The description of the group.
- E. The password of the group.

**Answer:** ACE

#### NEW QUESTION 99

Which of the following commands prints a list of usernames (first column) and their primary group (fourth column) from the /etc/passwd file?

- A. `fmt -f 1,4 /etc/passwd`
- B. `split -c 1,4 /etc/passwd`
- C. `cut -d : -f 1,4 /etc/passwd`
- D. `paste -f 1,4 /etc/passwd`

**Answer:** C

#### NEW QUESTION 104

Which of the following shell redirections will write standard output and standard error output to a file named filename?

- A. `2>&1 >filename`
- B. `>filename 2>&1`
- C. `1>&2>filename`
- D. `>>filename`
- E. `1&2>filename`

**Answer:** B

#### NEW QUESTION 107

Regarding the command: `nice -5 /usr/bin/prog`  
Which of the following statements is correct?

- A. /usr/bin/prog is executed with a nice level of -5.
- B. /usr/bin/prog is executed with a nice level of 5.
- C. /usr/bin/prog is executed with a priority of -5.
- D. /usr/bin/prog is executed with a priority of 5.

**Answer:** B

#### NEW QUESTION 110

Which of the following commands changes the number of days before the ext3 filesystem on /dev/sda1 has to run through a full filesystem check while booting?

- A. `tune2fs -d 200 /dev/sda1`
- B. `tune2fs -c 200 /dev/sda1`
- C. `tune2fs -i 200 /dev/sda1`
- D. `tune2fs -n 200/dev/sda1`
- E. `tune2fs --days 200 /dev/sda1`

**Answer:**

C

#### NEW QUESTION 115

What is the default nice level when a process is started using the nice command?

- A. -10
- B. 10
- C. 20

**Answer:** B

#### NEW QUESTION 120

Which of the following are requirements in order to run a shell script like a regular command from anywhere in the filesystem? (Choose THREE correct answers.)

- A. The user issuing the command must be in the group script.
- B. The script file must be found in the \$PATH.
- C. The script file must have the executable permission bit set.
- D. The script must begin with a shebang-line (!) that points to the correct interpreter.
- E. The file system on which the script resides must be mounted with the option scripts.

**Answer:** BCD

#### NEW QUESTION 125

In case neither cron.allow nor cron.deny exist in /etc/, which of the following is true?

- A. Without additional configuration, no users may have user specific crontabs.
- B. Without additional configuration, all users may have user specific crontabs.
- C. The cron daemon will refuse to start and report missing files in the system's logfile.
- D. When a user creates a user specific crontab the system administrator must approve it explicitly.

**Answer:** A

#### NEW QUESTION 127

Which of the following statements is valid in the file /etc/nsswitch.conf?

- A. multi on
- B. 192.168.168.4 dns-server
- C. hosts: files dns
- D. include /etc/nsswitch.d/

**Answer:** C

#### NEW QUESTION 131

What is true regarding the file ~/.forward?

- A. As it is owned by the MTA and not writable by the user, it must be edited using the editaliases command.
- B. After editing ~/.forward the user must run newaliases to make the mail server aware of the changes.
- C. Using ~/.forward, root may configure any email address whereas all other users may configure only their own addresses.
- D. When configured correctly, ~/.forward can be used to forward each incoming mail to more than one other recipient.

**Answer:** D

#### NEW QUESTION 136

After issuing:

```
function myfunction { echo $1 $2 ; }
```

in Bash, which output does:

```
myfunction A B C
```

Produce?

- A. A B
- B. A B C
- C. A C
- D. B C
- E. C B A

**Answer:** A

#### NEW QUESTION 139

CORRECT TEXT

Which command is used to add an empty group to the system? (Specify ONLY the command without any path or parameters.)

A.

**Answer:** groupadd/usr/sbin/groupadd

#### NEW QUESTION 141

Which of the following commands will set the variable text to olaf is home?(Choose two)

- A. text=olaf\ is\ home
- B. text=\$olaf is home
- C. \$text='olaf is home'
- D. text=='olaf is home'
- E. text="olaf is home"

**Answer:** AE

#### NEW QUESTION 142

Immediately after deleting 3 lines of text in vi and moving the cursor to a different line, which single character command will insert the deleted content below the current line?

- A. i (lowercase)
- B. P (uppercase)
- C. p (lowercase)
- D. U (uppercase)
- E. u (lowercase)

**Answer:** C

#### NEW QUESTION 145

What can the Logical Volume Manager (LVM) be used for? (Choose THREE correct answers.)

- A. To create RAID 9 arrays.
- B. To dynamically change the size of logical volumes.
- C. To encrypt logical volumes.
- D. To create snapshots.
- E. To dynamically create or delete logical volumes.

**Answer:** BDE

#### NEW QUESTION 148

What is the purpose of the Filesystem Hierarchy Standard?

- A. It is a security model used to ensure files are organized according to their permissions and accessibility.
- B. It provides unified tools to create, maintain and manage multiple filesystems in a common way.
- C. It defines a common internal structure of inodes for all compliant filesystems.
- D. It is a distribution neutral description of locations of files and directories.

**Answer:** D

#### NEW QUESTION 153

After modifying GNU GRUB's configuration file, which command must be run for the changes to take effect?

- A. kill -HUP \$(pidof grub)
- B. grub-install
- C. grub
- D. No action is required

**Answer:** D

#### NEW QUESTION 155

CORRECT TEXT

Which command is used to create and initialize the files used to store quota information? (Specify ONLY the command without any path or parameters.)

- A.

**Answer:** quotacheck

#### NEW QUESTION 159

In a nested directory structure, which find command line option would be used to restrict the command to searching down a particular number of subdirectories?

- A. -dirmax
- B. -maxdepth
- C. -maxlevels
- D. -n
- E. -s

**Answer:** B

#### NEW QUESTION 163

Which of the following commands can be used to display the inode number of a given file?

- A. inode
- B. ls
- C. ln
- D. cp

**Answer:** B

#### NEW QUESTION 168

Which of the following commands changes the ownership of file.txt to the user dan and the group staff?

- A. chown dan/staff file.txt
- B. chown dan:staff file.txt
- C. chown -u dan -g staff file.txt
- D. chown dan -g staff file.txt

**Answer:** B

#### NEW QUESTION 172

What is the difference between the commands test -e path and test -f path?

- A. They are equivalent options with the same behaviour.
- B. The -f option tests for a regular file.
- C. The -e option tests for an empty file.
- D. Both options check the existence of the path.
- E. The -f option also confirms that it is a regular file.
- F. The -f option tests for a regular file.
- G. The -e option tests for an executable file.

**Answer:** C

#### NEW QUESTION 175

Which of the following commands redirects the output of cmd to the file foo.txt, in which an existing file is overwritten?

- A. cmd || foo.txt
- B. cmd | foo.txt
- C. cmd && foo.txt
- D. cmd >> foo.txt
- E. cmd > foo.txt

**Answer:** E

#### NEW QUESTION 176

What is the purpose of the iconv command?

- A. It converts bitmap images from one format to another such as PNG to JPEG.
- B. It verifies that the root directory tree complies to all conventions from the Filesystem Hierarchy Standard (FHS).
- C. It displays additional meta information from icon files ending in .ico.
- D. It changes the mode of an inode in the ext4 file system.
- E. It converts files from one character encoding to another.

**Answer:** E

#### NEW QUESTION 180

Which of the following programs uses the hosts.allow file to perform its main task of checking for access control restrictions to system services?

- A. tcpd
- B. inetd
- C. fingerd
- D. mountd
- E. xinetd

**Answer:** A

#### NEW QUESTION 183

CORRECT TEXT

What two character sequence is present at the beginning of an interpreted script? (Please specify the TWO correct characters only)

A.

**Answer:** #!

#### NEW QUESTION 187

CORRECT TEXT

The system's timezone may be set by linking /etc/localtime to an appropriate file in which directory? (Provide the full path to the directory, without any country information)

A.

**Answer:** /usr/share/zoneinfo/

#### NEW QUESTION 191

Which of the following is a legacy program provided by CUPS for sending files to the printer queues on the command line?

- A. lpd
- B. lpp
- C. lpq
- D. lpr

**Answer:** D

#### NEW QUESTION 196

Which variable defines the directories in which a Bash shell searches for executable commands?

- A. BASHEXEC
- B. BASHRC
- C. PATH
- D. EXECPATH
- E. PATHRC

**Answer:** C

#### NEW QUESTION 199

What command will generate a list of user names from /etc/passwd along with their login shell?

- A. column -s : 1,7 /etc/passwd
- B. chop -c 1,7 /etc/passwd
- C. colrm 1,7 /etc/passwd
- D. cut -d: -f1,7 /etc/passwd

**Answer:** D

#### NEW QUESTION 201

CORRECT TEXT

Which command, depending on its options, can display the open network connections, the routing tables, as well as network interface statistics. (Specify ONLY the command without any path or parameters.)

A.

**Answer:** netstat/bin/netstatss/usr/bin/ss

#### NEW QUESTION 206

Which of the following characters can be combined with a separator string in order to read from the current input source until the separator string, which is on a separate line and without any trailing spaces, is reached?

- A. <<
- B. <|
- C. !<
- D. &<

**Answer:** A

#### NEW QUESTION 210

For accessibility assistance, which of the following programs is an on-screen keyboard?

- A. xkb
- B. atkb
- C. GOK
- D. xOSK

**Answer:** C

#### NEW QUESTION 212

CORRECT TEXT

Which option in the /etc/ntp.conf file specifies an external NTP source to be queried for time information? (Specify ONLY the option without any values or parameters.)

A.

**Answer:** server

#### NEW QUESTION 215

Which of the following commands prints all files and directories within the /tmp directory or its subdirectories which are also owned by the user root? (Choose TWO correct answers.)

- A. find /tmp -uid root -print
- B. find -path /tmp -uid root
- C. find /tmp -user root -print
- D. find/tmp -user root
- E. find -path /tmp -user root -print

**Answer:** CD

#### NEW QUESTION 219

Which of the following steps prevents a user from obtaining an interactive login session?

- A. Run the command chsh -s /bin/false with the user name.
- B. Set the UID for the user to 0.
- C. Remove the user from the group staff.
- D. Add the user to /etc/noaccess.
- E. Create a .nologin file in the user's home directory.

**Answer:** A

#### NEW QUESTION 221

Which of the following commands lists all currently installed packages when using RPM package management?

- A. yum --query --all
- B. yum --list --installed
- C. rpm --query --all
- D. rpm --list --installed

**Answer:** C

#### NEW QUESTION 225

Which of the following commands will create an archive file, named backup.tar, containing all the files from the directory /home?

- A. tar /home backup.tar
- B. tar -cf /home backup.tar
- C. tar -xf /home backup.tar
- D. tar -xf backup.tar /home
- E. tar -cf backup.tar /home

**Answer:** E

#### NEW QUESTION 226

Which commands can be used to change a user's account aging information? (Choose THREE correct answers.)

- A. usermod
- B. passwd
- C. chattr
- D. chage
- E. chsh

**Answer:** ABD

#### NEW QUESTION 231

Which RPM command will output the name of the package which supplied the file /etc/exports?

- A. rpm -F /etc/exports
- B. rpm -qf /etc/exports
- C. rpm -Kl /etc/exports
- D. rpm -qp /etc/exports
- E. rpm -qi /etc/exports

**Answer:** B

#### NEW QUESTION 233

What entry can be added to the syslog.conf file to have all syslog messages generated by a system displayed on console 12?

- A. \*.\* /dev/tty12
- B. /var/log/messages | /dev/tty12
- C. | /dev/tty12
- D. syslog tty12
- E. mail.\* /dev/tty12

**Answer:**

A

**NEW QUESTION 234**

What information can the lspci command display about the system hardware? (Choose THREE correct answers.)

- A. Device IRQ settings
- B. PCI bus speed
- C. System battery type
- D. Device vendor identification
- E. Ethernet MAC address

**Answer:** ABD

**NEW QUESTION 237**

CORRECT TEXT

Which command is used to sync the hardware clock to the system clock? (Specify ONLY the command without any path or parameters.)

A.

**Answer:** hwclock/sbin/hwclock/usr/sbin/hwclock

**NEW QUESTION 240**

Which of the following details is NOT provided in any output from the netstat utility?

- A. broadcast services
- B. interface statistics
- C. masquerading connections
- D. network connections
- E. routing tables

**Answer:** A

**NEW QUESTION 245**

Which of the following commands updates the linker cache of shared libraries?

- A. mkcache
- B. soconfig
- C. mkldconfig
- D. lddconfig
- E. ldconfig

**Answer:** E

**NEW QUESTION 248**

CORRECT TEXT

Which signal is missing from the following command that is commonly used to instruct daemond to reinitialize itself, including reading configuration files?

killall -s daemon

A.

**Answer:** HUP/SIGHUP/1

**NEW QUESTION 250**

How many fields are in a syntactically correct line of /etc/fstab?

- A. 3
- B. 4
- C. 5
- D. 6
- E. 7

**Answer:** D

**NEW QUESTION 254**

Which of the following tools used for DNS debugging, reports not only the response from the name server but also details about the query?

- A. dnsq
- B. dig
- C. hostname
- D. dnslookup
- E. zoneinfo

**Answer:** B

**NEW QUESTION 258**

What output will the command `seq 10` produce?

- A. A continuous stream of numbers increasing in increments of 10 until stopped.
- B. The numbers 1 through 10 with one number per line.
- C. The numbers 0 through 9 with one number per line.
- D. The number 10 to standard output.

**Answer:** :B

**NEW QUESTION 259**

Which of the following commands moves and resumes in the background the last stopped shell job?

- A. `run`
- B. `bg`
- C. `fg`
- D. `back`

**Answer:** B

**NEW QUESTION 264**

.....

## THANKS FOR TRYING THE DEMO OF OUR PRODUCT

Visit Our Site to Purchase the Full Set of Actual LFCS Exam Questions With Answers.

We Also Provide Practice Exam Software That Simulates Real Exam Environment And Has Many Self-Assessment Features. Order the LFCS Product From:

<https://www.2passeasy.com/dumps/LFCS/>

### Money Back Guarantee

#### **LFCS Practice Exam Features:**

- \* LFCS Questions and Answers Updated Frequently
- \* LFCS Practice Questions Verified by Expert Senior Certified Staff
- \* LFCS Most Realistic Questions that Guarantee you a Pass on Your First Try
- \* LFCS Practice Test Questions in Multiple Choice Formats and Updates for 1 Year